

FIG. 2







FIG. 3

Noberthall All Noberthern Committee Committee

HE WILLIAM STANFORD STANFORD AND AND AND A CONTRACT OF






CONTINUE CON

THE PROPERTY OF THE PROPERTY OF THE PARTY OF



## β-Gal clone with different substrates

- · cells were stained with FDG. CMFDG or C12FDG, incubated for 30 min. at 70°C, spotted onto a slide and exposed to UV light.
- bright spot indicates staining of cells



**FDG** 

C12FDG

**CMFDG** 

FIG. 5

BULLEUR CREATIRATION OF WALLER CHECKER PROPERTY OF A BOLL BELLEY. ALONE REPORTED AND DEPORT OF THE PARTY OF THE THE MINE WAS TOUR TO SEE THE Figure C.C. Bulker, v. Strank 1991 and

A Residence of Committee and a Market of Market of American State of the Committee of the C






FIG. 6

$$R_1$$
 O -Fluor.  $H_2\bar{0}$   $R_1$  O -Fluor —

FIG. 7





FIG. 8








OF THE CONTROL SHOP ARE THE TOTAL STREET OF THE STREET




GOLD CONSTRUCTS FORMAL SET OF NORTH



CONTRACTOR OF THE PROPERTY OF






Enzyme • Expression Level
Activity • Expression Level

• Solventships • Solventships

Enzyme Viivitə - Avitalahi


See the TEMPE DAMERON STOLET PRINTED SEE THE SEE THE



SM=Small molecule R=Eukaryotic receptor L=Large insert library GFP = Green fluorescent protein

FIG. 14






bioactive expression (e.g. live/dead, growth rate, metabolic stains etc.)

FIG. 15

Control of Control of Parameters and Control of Contr

The Control of the HAR BURKENS CONTROL OF THE PRINCE OF TH





Streptomyces lividans mycelia

Streptomyces "diversa" Unicells

FIG. 16

